



SAFETY DATA SHEET

Product Name: XTRACT

Date of Issue: FEB 2017

Page 1 of Total 6

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name:	XTRACT CARPET CLEANER		
SUPPLIER:	ECOCLEAN UTILITY AGENCIES PTY LTD		
ADDRESS:	PO Box 6224 YATALA DC 4207		
TELEPHONE:	(07) 5549 3622	FAX:	(07) 5549 3666
EMERGENCY PHONE:	13 1126 in Australia.	ABN:	72 135 037 160
Substance:	water based liquid	Product Use:	Carpet cleaner
Creation Date:	Feb 2017	Revision Date:	Feb 2022

SECTION 2 – HAZARDS IDENTIFICATION

Classification of the substance or mixture

Poisons Schedule	Not scheduled
Dangerous Goods	Not classified as Dangerous Goods
GHS Classification	Eye Irritation Category 2A

Label elements

GHS label pictograms	
Signal word	WARNING

Hazard statement(s)

H319	Causes serious eye irritation.
-------------	--------------------------------

Precautionary statement(s): General

P102	Keep out of reach of children.
P103	Read label before use.

Precautionary statement(s): Prevention

P264	Wash skin thoroughly after handling.
P280	Wear eye protection/face protection.

Precautionary statement(s): Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Precautionary statement(s): Storage

	None allocated
--	----------------

Precautionary statement(s): Disposal

	None allocated
--	----------------

Note

IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. When diluted to 1:1 or greater they no longer apply. However, good hygiene and housekeeping practices should be adhered to.
------------------	---

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS



SAFETY DATA SHEET

Product Name: XTRACT

Date of Issue: FEB 2017

Page 2 of Total 6

Ingredients:	CAS Number:	Proportion:
Ethanol	64-17-5	<10% w/w
oxirane , methyl polymer with oxirane, monodecyl ether	37311-00-5	< 10% w/w
Propylene glycol monomethyl ether	107-98-2	< 10% w/w
Ingredients determined to be non-hazardous	various	< 10 % w/w
Water	7732-18-5	To 100 % w/w

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS), 4th edition United Nations 2011. Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.

SECTION 4 – FIRST AID MEASURES

Inhalation	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.
Skin contact	Wash skin with plenty of water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness persists.
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If symptoms persist, seek medical attention.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically.
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).
First Aid Facilities	Eye wash station. Normal washroom facilities.

SECTION 5 – FIRE FIGHTING MEASURES

Fire and Explosion Hazards	Non flammable liquid. However, on evaporation of the aqueous component, the residual material may burn.
Extinguishing Media	Use an extinguishing media suitable for surrounding fires.
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition.
Flash Point	None

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Minor spills do not normally need any special clean-up measures – rinse with water. In the event of a major spill, prevent spillage from entering drains or water courses. Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. As a water based product, if spilt on electrical equipment the product will cause short-circuits. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.
-----------------------------	---

SECTION 7 – HANDLING AND STORAGE



SAFETY DATA SHEET



Product Name: XTRACT

Date of Issue: FEB 2017

Page 3 of Total 6

Handling	Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers.
Storage	Store in a cool, dry, well-ventilated area, out of direct sunlight. Protect from freezing. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits	National Occupational Exposure Limits, as published by National Occupational Health & Safety Commission: Time-weighted Average (TWA): None established for product. <ul style="list-style-type: none"> Ethanol: 1000ppm 1880mg/m³ Propylene glycol monomethyl ether: 100ppm, 369 mg/m³ Short Term Exposure Limit (STEL): None established for product. <ul style="list-style-type: none"> Propylene glycol monomethyl ether: 150 ppm, 553 mg/m³
Ventilation	No special requirements.
Personal Protective Equipment	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. The following protective equipment should be available;
Eye Protection 	Generally not required for typical applications as per label directions. Safety glasses with full face shield should be used for handling concentrate in quantity, cleaning up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection 	Generally not required for typical applications as per label directions. To handle in quantity, clean up spills, decanting, etc , wear gloves of impervious material such as butyl rubber, natural latex, neoprene, PVC and nitrile. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	No special requirements.
Respirator	No special requirements.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Non-viscous liquid	Colour	Straw
Odour	characteristic odour	Specific Gravity	1.00 – 1.02 @ 25 °C
Boiling Point	Approximately 100 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Not flammable	Flammable Limits	none
Water Solubility	Miscible in all proportions	pH	9.0 – 10.5
Volatile Organic Compounds (VOC)	0 % v/v	Per Cent Volatile	Ca 85 % v/v
Viscosity	Not available	Odour Threshold	Not available

SECTION 10 – STABILITY AND REACTIVITY

Reactivity	Stable at normal temperatures and pressure.
-------------------	---



SAFETY DATA SHEET

Product Name: XTRACT

Date of Issue: FEB 2017

Page 4 of Total 6

Conditions to Avoid	Extremes of temperature and direct sunlight.
Incompatibilities	Reducing agents, oxidizing agents.
Hazardous Decomposition	Thermal decomposition (burning) may result in the release of toxic and/or irritating fumes.

SECTION 11 – TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Inhalation	Not considered to be an inhalation hazard.
Skin contact	Not expected to be irritating to skin.
Eye contact	Concentrated product causes eye irritation. Eye contact with concentrate will cause stinging, blurring, tearing.
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Chronic exposure	No known effects.
Toxicology Information	Not toxic, based on ingredients. Oral LD50 (calculated) : >10,000 mg/kg
Carcinogen Status	
NOHSC	No significant ingredient is classified as carcinogenic by NOHSC.
NTP	No significant ingredient is classified as carcinogenic by NTP.
IARC	No significant ingredient is classified as carcinogenic by IARC.
Respiratory sensitisation	Not expected to be a respiratory sensitizer.
Skin Sensitisation	Not expected to be a skin sensitizer.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.

SECTION 12 – ECOLOGICAL INFORMATION

Eco-toxicity Product (as sold)	Harmful to aquatic life. Acute Aquatic Toxicity Category 3 - (LC50 >10 mg/L but < 100mg/L). Acute Aquatic Toxicity (Calculated) LC50: 15 - 30 mg/L.
Eco-toxicity Product (at use dilution 1:100 rinse)	Not harmful to aquatic life. Acute Aquatic Toxicity NOT HAZARDOUS - (LC50 > 100mg/L). Acute Aquatic Toxicity (Calculated) LC50: 1500 - 3000 mg/L.
Persistence and degradability	Readily biodegradable, based on ingredients.
Bio accumulative potential	No bioaccumulation is expected.
Mobility in soil	Due to its physico-chemical characteristics, highly mobile in the environment and will partition to the aquatic compartment.
Other adverse effects	Not available
Environmental Protection	Do not discharge this material into waterways.

SECTION 13 – DISPOSAL CONSIDERATIONS



SAFETY DATA SHEET

Product Name: XTRACT

Date of Issue: FEB 2017

Page 5 of Total 6

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

SECTION 14 – TRANSPORT INFORMATION

Labels Required

ADG	Not classified as Dangerous Goods.
IMDG Marine Pollutant	No
HAZCHEM	None allocated.
Land Transport (ADG)	
UN Number	None allocated.
ADG Code	None allocated.
HAZCHEM Code	None allocated.
Special Provisions	None allocated.
Packing Group	None allocated.
Packaging Method	None allocated.
Segregation	None allocated.

SECTION 15 – REGULATORY INFORMATION

GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	Not scheduled
ADG Code	Not DG
AICS	All ingredients present on AICS.

SECTION 16 – OTHER INFORMATION

Issue Date	20 th February 2017
Version Number	V 2.0 GHS classification.
Abbreviations and acronyms	<p>ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.</p> <p>AICS: Australian Inventory of Chemical Substances.</p> <p>CAS Number: Chemical Abstracts Service Registry Number.</p> <p>GHS: Globally Harmonized System of Classification and Labelling of Chemicals</p> <p>HAZCHEM: An emergency action code of numbers and letters which gives information to emergency services.</p> <p>HSIS: Hazardous Substances Information System</p> <p>IARC: International Agency for Research on Cancer.</p> <p>NOHSC: National Occupational Health and Safety Commission.</p> <p>NTP: National Toxicology Program (USA).</p> <p>SDS: Safety Data Sheet</p> <p>STEL: Short Term Exposure Limit.</p> <p>SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.</p> <p>TWA: Time Weighted Average.</p> <p>UN Number: United Nations Number.</p>
Literature references	<p>Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)</p> <p>GHS Hazardous Chemical Information List (Safe Work Australia)</p> <p>Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.</p>



SAFETY DATA SHEET

Product Name: XTRACT

Date of Issue: FEB 2017

Page 6 of Total 6

Global Harmonized System of Classification and Labelling of Chemicals (GHS)
"Australian Exposure Standards". Safework Australia
Australian Code For The Transport Of Dangerous Goods By Road And Rail
Standard for the Uniform Scheduling of Medicines and Poisons
Material Safety Data Sheets – individual raw materials – Suppliers

Disclaimer

This MSDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.

End of SDS